

STROHFELD AGRICULTURAL IMPORTS

Longmen Warrior Tractors

Specifications Guide

10th February 2010

Contents

SG-254.....	3
X-354/X-404/X-454.....	4
X-504/X-554.....	5
X-704/X-754.....	5
X-904.....	6
X-1204.....	6
X-1804.....	6

SG-254

Model	SG-254S
Engine	18.4kw 35hp YD385A
Cylinders	3
Transmission	Const. Mesh
Gears	8F/8R
Stand. Speed (km/h)	.3-29.65
PTO speeds	540
No. of Rem.	Dual
Linkage Cat.	Cat.I
Hyd. Cap (l/min)	26
Weight (kg)	1340
Brakes	Wet Disc
Tyres	



X-354/X-404/X-454

Model	X-354S	X-404CRS	X-404S	X-454CR	X-454S
Engine	26kw 35hp SL3100BT2	29kw 40hp YTR3105	29kw 40hp YTR3105	33kw 45hp 495B	33kw 45hp 495B
Cylinders	3	3	3	4	4
Transmission	Const. mesh	Const. mesh	Const. mesh	Const. mesh	Const. mesh
Gears	8F/4R	8F/8R	16F/4R	8F/8R	16F/4R
Stand. Spd (km/h)	2.37-31.6	2.37-31.6	2.37-31.6	2.37-31.6	2.37-31.6
PTO Speeds	540/1000	540/1000	540/1000	540/1000	540/1000
No. of Rem	Dual	Dual	Dual	Dual	Dual
Linkage Cat.	Cat.I	Cat.I	Cat.I	Cat.I	Cat.I
Hyd. Cap (l./min)	26	26	26	26	26
Weight (kg)	1860	1860	1860	1980	1980
Brakes	Wet Disc	Wet Disc	Wet Disc	Wet Disc	Wet Disc
Tyres	7.5x16/11.2x28	7.5x16/11.2x28	7.5x16/11.2x28	8.3x20/12.4x28	8.3x20/12.4x28



X-504/X-554

Model	X-504CR	X-504S	X-554CR	X-554S
Engine	37kw 50hp YTR4104TS	37kw 50hp YTR4104TS	40kw 55hp YTR405T55S	
Cylinders	4	4	4	4
Transmission	Const. mesh	Const. mesh	Const. mesh	Const. mesh
Gears	8F/8R	16F/4R	8F/8R	16F/4R
Stand. Speed (km/h)	2.37-31.6	2.37-31.6	2.4-30.8	2.4-30.8
PTO speeds	540/1000	540/1000	540/1000	540/1000
No. of Rem.	Dual	Dual	Dual	Dual
Linkage Cat.	Cat.II	Cat.II	Cat.II	Cat.II
Hyd. Cap (l/min)	26	26	26	26
Weight (kg)	2245	2245	2245	2245
Brakes	Wet Disc	Wet Disc	Wet Disc	Wet Disc
Tyres	7.5x16/12.4x28	7.5x16/12.4x28	8.3x20/13.6x28	8.3x20/13.6x28



X-704/X-754

Model	X-704S	X-754S
Engine	51kw 70hp LRC4105	55kw 75hp LRC4105
Cylinders	4	4
Transmission	Synchro	Synchro
Gears	12F/12R	12F/12R
Stand. Speed (km/h)	1.65-27.2	1.65-27.2
PTO speeds	540/1000	540/1000
No. of Rem.	Dual	Dual
Linkage Cat.	Cat.II	Cat.II
Hyd. Cap (l/min)	40	40
Weight (kg)	4170	4370
Brakes	Wet Disc	Wet Disc
Tyres	11.2x24/16.9x34	12.4x24/18.9x34





X-904

Model	X-904S	X-904CR
Engine	66kw 90hp LRC4105ZT55	66kw 90hp LRC4105ZT55
Cylinders	4	4
Transmission	Synchro	Synchro
Gears	12F/12R	24F/8R
Stand. Speed (km/h)	.29-27.2	.29-27.2
PTO speeds	540/1000	540/1000
No. of Rem.	Triple	Triple
Linkage Cat.	Cat.II	Cat.II
Hyd. Cap (l/min)	40	40
Weight (kg)	4560	4560
Brakes	Wet Disc	Wet Disc
Tyres	13.6x24/16.9x34	13.6x24/16.9x34

X-1204

Model	X-1204S
Engine	88kw 120hp LRC6105TI
Cylinders	6
Transmission	Synchro
Gears	12F/4R
Stand. Speed (km/h)	2.42-29.3
PTO speeds	540/1000
No. of Rem.	Dual
Linkage Cat.	Cat.II
Hyd. Cap (l/min)	50
Weight (kg)	5420
Brakes	Wet Disc
Tyres	14.9x26/18.4x38



X-1804

Model	X-1804S
Engine	132kw 180hp LR105ZWT13
Cylinders	6
Transmission	Synchro
Gears	12F/4R
Stand. Speed (km/h)	2.40-30.7
PTO speeds	540/1000
No. of Rem.	Dual
Linkage Cat.	Cat.II/III
Hyd. Cap (l/min)	50-
Weight (kg)	6500
Brakes	Wet Disc
Tyres	16.9x28/20.8x38